

Page 1 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/1/2015 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **ABC BLACKENER** 1.2 Chemical Name: Acid Mixture 1.3 Synonyms 45910, 45911 1.4 Trade Names: ABC Blackener 1.5 Product Use: Blackening Solution for Non-Ferrous Metals 1.6 Distributor's Name: Precision Brand Products, Inc. 1.7 Distributor's Address: 2250 Curtiss Street, Downers Grove IL 60515 USA 1.8 **Emergency Phone** ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (630) 969-7200 / +1 (630) 969-0310 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. Classification: Acute Toxicity-Inh 3; Skin Corrosion1B; STOT RE 1; Chronic Aquatic 1 Hazard Statements (H): H301 - Toxic if swallowed. H314 - Causes severe skin burns and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. H410 -Very toxic to aquatic life with long lasting effects. Precautionary Statements (P): P220 - Keep/Store away from clothing/ combustible materials. P273 - Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 - Dispose of contents/ container to an approved waste disposal plant. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC OSHA ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL TWA PEAK TLV STEL **IDLH** OTHER STEL 7732-18-5 ZC0110000 231-791-2 60-100 NE NE NE NE NF NF NF NE WATER 240-898-3 NA NA NF NA 16872-11-0 NA 10-30 NF NF NA NA FLUOBORIC ACID Acute Toxicity-Oral 3; Skin Corrosion 1A; Serious Eye Damage 1; H301, H314 (1) NA NF NF NF (1) NA 1000 7758-99-8 NA NA 5-10 CUPRIC SULFATE Acute Toxicity 4; H302 7783-00-8 VS7175000 231-974-7 1-5 (0.2) NA (0.2) NF NF (0.2) NA SELENIOUS ACID Acute Toxicity-Inh 3; Acute Toxicity-Oral 3; STOT-Repeated Exp 2; Acute Aquatic Toxicity 1; Chronic Aquatic Toxicity 1; H301, H331, H400, H410 (3) NF 7664-38-2 TB6300000 231-633-2 1-5 (1) NF NF NA NA 1000 PHOSPHORIC ACID Metal Corrosion 1; Skin Corrosion 1B; H290, H314 0.1-1 7786-81-4 QR9600000 232-104-9 (0.1) NA NF NF NF (1) NA Acute Toxicity 4; Skin Irritation 2; Skin Sensitization 1; Respiratory Sensitization 1; Mutagenic 2; Carcinogenic 1A; Reproductive Toxicity 1B; NICKEL SULFATE Specific Target Organ Toxicity - Repeated Exposure 1; Acute Aquatic Toxicity 1; Chronic Aquatic Toxicity 1; H302, H315, H317, H332, H334. H350i. H360D. H372. H400. H410 4. FIRST AID MEASURES First Aid: 4.1 DO NOT INDUCE VOMITING. Contact SafetyCall +1 (855) 281-1742 or the nearest Poison Control Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Eyes: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or Skin: the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.

respiration. Seek immediate medical attention.

Inhalation:

Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial



Page 2 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/1/2015 4. FIRST AID MEASURES - cont'd 42 Effects of Exposure: Severe or permanent eye damage. Eyes: Burns upon direct contact. Skin: Severe burns of mouth, throat, stomach. Ingestion: Inhalation: Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage 4.3 Symptoms of Overexposure: Eyes: Redness, burning, irritation, and swelling around eyes Skin: Redness, burning, itching, rash, blistering of skin. Nausea, vomiting, severe abdominal pain. Ingestion: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing. 4.4 Acute Health Effects: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin. 4.5 Chronic Health Effects: May damage the nervous system, kidney and/or liver. 4.6 Target Organs: Eyes, Skin, Nervous System, Kidneys, Liver, Respiratory System, Spleen, Blood Forming Organs, Bones. Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 3 Aggravated by Exposure: target organs (eyes, skin, respiratory system, liver, blood-forming **FLAMMABILITY** 0 organs) or impaired kidney function may be more susceptible to the PHYSICAL HAZARDS 0 effects of this substance. PROTECTIVE EQUIPMENT Н **EYES** SKIN LUNGS 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. Extinguishing Methods: 5.2 Use fire-extinguishing media appropriate for surrounding materials. Firefighting Procedures: 5.3 As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out 7.1 of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40 °C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage Special Precautions: 7.3 Empty containers may retain hazardous product residues 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) CHEMICAL NAME(S) TLV STEL **ES-TWA** ES-STEL **ES-PEAK** PEL STEL IDLH **CUPRIC SULFATE** NF 1000 (1) NA NF NF (1) NA **SELENIOUS ACID** NF NF (0.2)NA (0.2)(0.2)NA NA PHOSPHORIC ACID (1) NF NF NA 1000 (3) NF NA NICKEL SULFATE (0.1)NA NF NF NF (1) NA 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash



Page 3 of 6

SAFETY DATA SHEET **PBP-002** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/1/2015 8. EXPOSURE CONTROLS & PERSONAL PROTECTION - cont'd 8.3 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: 8.4 Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.5 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. 8.6 Body Protection: A chemical resistant apron and/or protective clothing are recommended when handling or using this product. 9. PHYSICAL & CHEMICAL PROPERTIES Clear, blue liquid 9.1 Appearance: 9.2 Odor Odorless 9.3 Odor Threshold: NA 9.4 pH: < 1.0 Melting Point/Freezing Point: 9.5 NA Initial Boiling Point/Boiling 9.6 > 100 °C (> 212 °F) Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA Vapor Pressure: 9.9 NA 9.10 Vapor Density: < 1.0 (air = 1.0)Relative Density: 9.11 1.099 Solubility 9.12 Complete (water) 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9 17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY 10 1 Stability: Stable at normal temperatures. 10.2 Hazardous Decomposition Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal Products: decomposition may produce selenium, nitrogen, phosphoric and copper oxides, and hydrogen fluoride gas 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Excessive heat 10.5 Incompatible Substances: Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, and most metals. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: YES 11.1 Routes of Entry 11.2 Toxicity Data: Solution: LD₅₀ (oral, rat) = 1,030 mg/kg; Phosphoric Acid: LD₅₀ (oral, rat) = 1,530 mg/kg; LD₅₀ (oral, rat) = 4,640 mg/kg; Nickel Sulfate: LD_{50} (oral, rat) = 361 mg/kg; LC_{50} (4h, rat) = 2.48 mg/L 11.3 Acute Toxicity: See Section 2.4 11.4 Chronic Toxicity: See Section 2.5 11.5 Suspected Carcinogen: Nickel Sulfate is listed as a human carcinogen (IARC Group 1, NTP). 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity This product contains nickel sulfate, which is reported to cause teratogenic effects in humans. Reproductive Toxicity This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product See Section 2.3 11.8 Biological Exposure Indices: NF 11.9 Physician Recommendations: Treat symptomatically 12. ECOLOGICAL INFORMATION 12.1 **Environmental Stability**

Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC₅₀ (Daphnia magna, 12h) = 4.6 mg/L

No data available.

No data available.

12.2

12.3

Effects on Plants & Animals:

Effects on Aquatic Life



Page 4 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/1/2015 13. DISPOSAL CONSIDERATIONS Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate Waste Disposal: disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. 13.2 Special Considerations: U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002), Characteristic - Toxic (D010) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 5.0 L) 14.2 IATA (AIR): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL \leq 0.5 L) 14.3 IMDG (OCN): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 5.0 L) TDGR (Canadian GND): 14.4 UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL \leq 5.0 L) 14.5 ADR/RID (EU): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 5.0 L) SCT (MEXICO): 14.6 UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO FOSFORICO), 8, II, (CANTIDAD LIMITADA, IP VOL ≤ 5.0 L) 14.7 ADGR (AUS): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, PHOSPHORIC ACID), 8, II, (LTD QTY, IP VOL ≤ 5.0 L) 15. REGULATORY INFORMATION 15.1 SARA Reporting This product contains Selenious Acid, Cupric Sulfate and Phosphoric Acid, substances subject to SARA Title III, section 313 reporting requirements. SARA Threshold Planning 15.2 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity 15.4 Selenious Acid: 10 lbs (4.54 kg); Cupric Sulfate: 10 lbs (4.54 kg); Phosphoric Acid: 5,000 lbs (2,270 kg) (RQ): Other Federal Requirements: NA 15.5 Other Canadian Regulations: 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects). 15.7 State Regulatory Information: Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). Nickel Sulfate is found on the following state criteria lists: MA, and PA. Fluoboric Acid is found on the following state criteria lists: NJ. Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) 15.8 Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. Selenious Acid: Corrosive (C), Toxic (T). Risk Phrases (R): R35 - Causes severe burns. Safety Phrases (S): S1/2-7/9-24/25-26-28-46 - Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash with plenty of soap and warm water. If swallowed, seek medical advice

immediately and show this container or label.



Page 5 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/1/2015 16. OTHER INFORMATION Other Information: DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. Keep/Store away from clothing/ combustible materials. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. KEEP LOCKEDUP AND OUT OF REACH OF CHILDREN. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Precision Brand Products Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Precision Brand Products, Inc. **PRECISION** 2250 Curtiss Street Downers Grove, IL 60515 USA Tel: +1 (630) 969-7200 Fax: +1 (630) 969-0310 http://www.precisionbrand.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com



Page 6 of 6 **PBP-002**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 4/1/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
С	Ceiling Limit
IDLH	Immediately Dangerous to Life and Health
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
TLV	Threshold Limit Value

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	4 Extreme Hazard		



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D			
Е			
F			





Splash Goggles







雷 Synthetic Apron

Protective Clothing & Full Suit

Dust Respirator

Full Face Respirator

Dust & Vapor Half-Mask Respirator

Full Face Respirator

i Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

Minimal Hazard
Slight Hazard
Moderate Hazard
Severe Hazard
Extreme Hazard
Acidic
Alkaline
Corrosive
Use No Water
Oxidizer
Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(2)	(4)		\odot	(1)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		M	¥		® X	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits		1
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment



Page 1 of 5 **PBP-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.3

SDS Revision Date: 4/7/2015

		1. PRODUCT & COMPANY IDENTIFICATION				
1.1	Product Name:	ABC SEALANT™				
1.2	Chemical Name:	Aqueous Solution				
1.3	Synonyms:	45915, 45916				
1.4	Trade Names: ABC Sealant [™]					
1.5	Product Use:	Lubricate, Penetrate, Displace Water, Protect Surfaces from Corrosion				
1.6	Distributor's Name:	Precision Brand Products, Inc.				
1.7	Distributor's Address:	2250 Curtiss Street, Downers Grove IL 60515 USA				
1.8	Emergency Phone:	ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1	(855) 281-1742			
1.9	Business Phone / Fax:	+1 (630) 969-7200 / +1 (630) 969-0310	•			
		2. HAZARDS IDENTIFICATION				
2.1	Hazard Identification:	This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION.				

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION.

Classification: Skin Sens.1

Hazard Statements (H): H317 – May cause an allergic skin reaction.

<u>Precautionary Statements</u> (P): P261 – Avoid breathing mist/sprays. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection. P302+P352 – IF ON SKIN: Wash with plenty of soap and water. P333+P313 – If skin irritation or rash occurs: Get medical advice/attention. P321 – Specific treatment – see section 4 of this Safety Data Sheet. P363 Wash contaminated clothing before reuse. P501 – Dispose of contents/container to licenses treatment, storage and disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION EXPOSIBLE 1

								EXPO	SURE LI	MITS IN	AIR (mg	g/m³)	
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	TLV	STEL	IDLH	OTHER
WATER	7732-18-5	NA	231-791-2	60-100	NE	NE	NF	NF	NF	NE	NE	NE	
WATER													
MODIFIED ROSIN	65997-10-6	NA	NA	7-13	NA	NA	NF	NF	NF	NA	NA	NA	
WODIFIED ROSIN													
TALL OIL FATTY ACIDS	61790-12-3	NA	263-107-3	7-13	NA	NA	NF	NF	NF	NA	NA	NA	
TALL OIL FATTY ACIDS	Skin Sens. 1; H317												
ETHENE. HOMOPOLYMER	68441-17-8	NA	NA	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
ETHENE, HOMOPOLYMER													

4. FIRST AID MEASURES

4.1	First Aid:		TO NOT INTUINE VOLUTINO O O			
4.1	First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Contact ChemTrec +1 (800) 424-9300 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.			
		Eyes:	If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.			
		<u>Skin</u> :	Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.			
		Inhalation:	Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.			
4.2	Effects of Exposure:	Eyes:	Mild irritation upon direct contact.			
		Skin:	Frequent or prolonged contact may irritate and cause dermatitis.			
		Ingestion:	Nausea, gastrointestinal irritation, diarrhea.			
		Inhalation:	Mild irritation of upper respiratory tract.			
4.3	Symptoms of Overexposure:	Eyes:	Redness, burning, irritation, and swelling around eyes.			
		Skin:	Redness, burning, itching, rash, and scaling of the skin (dermatitis).			
		Ingestion:	Nausea, vomiting, severe abdominal pain.			
		Inhalation:	Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.			
4.4	Acute Health Effects:	May cause	an allergic skin reaction. May be harmful if swallowed.			
4.5	Chronic Health Effects:	Prolonged or repeated skin exposure may cause dermatitis.				



8.6

Body Protection:

SAFETY DATA SHEET

Page 2 of 5 **PBP-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 4/7/2015 4. FIRST AID MEASURES - cont'd 4.6 Target Organs: Eyes, Skin, Respiratory System. 47 Medical Conditions Persons with pre-existing central nervous system (CNS) disease, **HEALTH** 1 Aggravated by Exposure: neurological conditions, skin disorders, chronic respiratory diseases, or **FLAMMABILITY** 0 impaired liver or kidney function should avoid exposure. **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Water-based product. Non-flammable. Use media as appropriate for surrounding fire 52 Extinguishing Methods: Carbon Dioxide, Foam, Water Spray, Halon (if permitted), Dry Chemical Extinguisher. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION 7 1 Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Immediately clean-up and decontaminate any spills or residues. 72 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Keep away from incompatible substances (see Section 10). Protect containers from physical damage. 7.3 Special Precautions: Empty containers may retain hazardous product residues. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH NA NA NA NF NF NF NA NA NA 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash 8.3 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eve Protection: Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.5 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product.

Not required under normal conditions of use. A chemical resistant apron and/or protective clothing

are recommended when handling or using large quantities (e.g., > 5 gallons (18.9 L)) of this product.



13.2

Special Considerations:

NA

SAFETY DATA SHEET

Page 3 of 5 **PBP-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/7/2015 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Opaque, light brown liquid 92 Odor. Mild ammonia-like odor 9.3 Odor Threshold: NA 9.4 9.0-9.5 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 100 °C (212 °F) 9.7 Flashpoint: 9.8 Upper/Lower Flammability LEL: NA; UEL: NA 99 Vapor Pressure: < 0.1 mm Hg 9.10 Vapor Density: > 1.0 (air = 1.0)9.11 Relative Density: 1.01 9.12 Solubility: Miscible 9.13 Partition Coefficient (log NA 9.14 Autoignition Temperature: NA 9.15 **Decomposition Temperature** NA 9.16 Viscosity: NA 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY 10.1 Stability Stable under normal storage and use conditions. 10.2 Hazardous Decomposition Thermal decomposition may produce carbon, sulfur and nitrogen oxides, hydrocarbons and/or derivatives. Hazardous Polymerization: 10.3 10.4 Conditions to Avoid: Avoid high temperatures, ignition sources and incompatible materials. 10.5 Incompatible Substances: Strong reducing agents, acids, alkalis, oxidizing agents 11. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: YES 11.2 Toxicity Data: NA 11.3 Acute Toxicity: See Section 2.4 Chronic Toxicity: 11.4 See Section 2.5 Suspected Carcinogen: 11.5 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to produce teratogenic effects in humans Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 2.3 118 Biological Exposure Indices: NE 11.9 Physician Treat symptomatically. Recommendations 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product is expected to have a low potential to degrade and thus is expected to persist in the environment. allow to enter into soil/subsoil. If product enters soil, it will be mobile and may contaminate groundwater. 12.2 Effects on Plants & Animals: No data available 12.3 Effects on Aquatic Life: NA 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13.1 Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and

disposal of hazardous waste must be provided by a licensed facility or waste hauler.



Page 4 of 5 **PBP-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.3 SDS Revision Date: 4/7/2015

Prepa	red to OSHA, ACC, ANSI, N	NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.3	SDS Revision Date: 4/7/2015			
		14. TRANSPORTATION	LINEOPMATION				
Thal	ania denomination (ID Nom			manda of the new outstier. Additional			
		mber, proper shipping name, hazard class & division, se required by 49 CFR, IATA/ICAO, IMDG and the CT		mode of transportation. Additional			
14.1	49 CFR (GND):	NOT REGULATED					
14.2	IATA (AIR):	NOT REGULATED					
14.3	IMDG (OCN):	NOT REGULATED					
14.4	TDGR (Canadian GND):	NOT REGULATED					
14.5	ADR/RID (EU):	NOT REGULATED					
14.6	SCT (MEXICO):	NOT REGULATED					
14.7	ADGR (AUS):	NOT REGULATED					
				'			
		15. REGULATORY II					
15.1	SARA Reporting Requirements:	This product does not contain any substances subjection	ect to SARA Title III, section 313 r	eporting requirements.			
15.2	SARA Threshold Planning Quantity:	NA					
15.3	TSCA Inventory Status:	The components of this product are listed on the TS	SCA Inventory.				
15.4	CERCLA Reportable Quantity (RQ):	NA					
15.5	Other Federal Requirements:	NA					
15.6	Other Canadian Regulations:	This product has been classified according to the hall of the information required by the CPR. The DSL/NDSL. None of the components of this production WHMIS Class D2B (Materials Causing Other Toxic	e components of this product are listed on the Priorities S	re listed on the			
15.7	State Regulatory Information:	None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).					
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): R36/37/38 – Irritating to eyes, respiratory system and skin. Safety Phrases (S): S(2)-23-24-62 – Keep out of the reach of children. Do not breathe furnes/mists/vapors/spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.					
		16. OTHER INFO	RMATION				
16.1	Other Information:	WARNING! MAY CAUSE AN ALLERGIC SKIN		gloves/eve protection. If swallowed.			
		immediately call a Poison Center or doctor/physic medical advice/attention. KEEP OUT OF REACH (cian. Avoid breathing mist/sprays				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OS government regulations must be reviewed for appl Products Inc.'s knowledge, the information contain suitability or completeness is not guaranteed and The information contained herein relates only to the all component properties must be considered. Date edition.	licability to this product. To the based herein is reliable and accuration of warranties of any type, either a specific product(s). If this product	pest of ShipMate's & Precision Brand e as of this date; however, accuracy, r expressed or implied, are provided. ct(s) is combined with other materials,			
16.4	Prepared for:	Precision Brand Products, Inc. 2250 Curtiss Street Downers Grove, IL 60515 USA Tel: +1 (630) 969-7200 Fax: +1 (630) 969-0310 http://www.precisionbrand.com	PRECISI BRAND.	ION			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting				



Page 5 of 5 **PBP-005**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 4/7/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
С	Ceiling Limit			
IDLH	Immediately Dangerous to Life and Health			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	PEL Permissible Exposure Limit			
TLV Threshold Limit Value				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			

HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

Α			
В			
С		The state of the s	
D		THE STATE OF THE S	
E			
F			







Splash Goggles







Synthetic Apron





Dust & Vapor Half-

ð

Full Face Respirator

Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard					
1	Slight Hazard					
2	Moderate Hazard					
3	Severe Hazard					
4	Extreme Hazard					
ACD	Acidic					
ALK	Alkaline					
COR	Corrosive					
₩	Use No Water					
ОХ	OX Oxidizer					
TREFOIL	Radioactive					



TOXICOLOGICAL INFORMATION:

r					
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	S				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{io} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(A)	@	\odot	®		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

			¥		® X	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					(1)
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment