

SAFETY DATA SHEET

SECTION 1: Product and Company Identification

Product Name: A-9

Recommended Use: Ferrous/non-ferrous metal cutting fluid

Manufacturer Information:

Relton Corporation-Chemical Division

317 Rolyn Place Arcadia, CA 91007-2838 Phone: (800)-423-1505 Emergency Number (24 hours): CHEMTREC 800-424-9300

SECTION 2: Hazards Identification

GHS Classification: Not classified

GHS Label Elements: No symbol

Signal Word: No signal word

Hazard Statements: No hazard statements

Precautionary Statements: Wear appropriate gloves, protective clothing, eye protection, face protection

Wash hands thoroughly after handling

Dispose of contents/container in accordance with state, local, and federal laws.

Hazards not otherwise classified (HNOC):

Not listed

SECTION 3: Composition/Information on Ingredients

Chemical Name	CAS#	%
Severely solvent refined heavy	64741-96-4, 64742-52-5	80-90*

naphthenic distillates and Hydrotreated heavy naphthenic petroleum distillates

SECTION 4: First Aid Measures

Inhalation: Remove individual to fresh air and keep at rest in a position comfortable for breathing.

If breathing is difficult give oxygen.

Skin Contact: Flush the affected area with water for 15 minutes minimum. Remove exposed or

contaminated clothing and shoes. Wash contaminated clothing before reuse. Seek

medical attention if irritation develops.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove

contact lenses. Call a physician or poison control center immediately.

[.] *The percentage reported may be a mixture of CAS 64741-96-4 and CAS 64742-52-5

The remaining ingredients are considered non hazardous or are below reporting levels

The exact percentage of composition has been withheld as a trade secret

Ingestion: Rinse mouth thoroughly. Call a POISON CENTER/doctor if you feel unwell.

Do NOT induce vomiting.

Most important symptoms

acute or delayed:

Not available

Recommendations for immediate medical

care and special treatment: Not available

SECTION 5: Fire Fighting Measures

Suitable extinguishing media: Slightly combustible. Use carbon dioxide, extinguishing powder or foam. Avoid

water spray.

Unsuitable extinguishing media: Not available

Specific hazards arising

during fire:

Combustion may generate carbon monoxide, carbon dioxide, hydrogen sulfide

and oxides of sulfur and calcium

Firefighting equipment: Firefighters should wear suitable protective equipment

Firefighting instructions: Evacuate personnel to a safe area. Firefighters should use self contained breathing

equipment and protective clothing. Keep containers cool with water spray.

SECTION 6: Accidental Release Measures

Personal Precautions: Wear appropriate protective equipment and clothing during clean up. Keep

unprotected persons away.

Environmental PrecautionsDo not allow product to enter sewers, surface or ground waters.

Methods and materials for containment and cleanup:

Contain and recover liquid when possible. Absorb with suitable absorbent and place

in a chemical waste container for proper disposal (see Section 13, Disposal

Considerations).

SECTION 7: Handling and Storage

Precautions for safe handling:As with all chemical products, avoid contact and wash thoroughly after handling.

Do not eat, drink or smoke while using this product. Use only in well-ventilated areas. Remove contaminated clothing and protective equipment before entering eating areas.

Pregnant or breast-feeding women must not handle this product.

Conditions for safe storage

including incompatibilities:

All personnel who handle this product should be trained in its safe handling. Store tightly closed in cool, dry, ventilated area. Keep out of direct sunlight and away from

heat and incompatible materials. Avoid contact with acids, oxidizing agents, and

caustics.

SECTION 8: Exposure Controls/Personal Protection

Exposure limit values

Material	CAS#	List	Туре	Value
Severely solvent refined	64741-96-4	OSHA	PEL	5 mg/m3 (TWA 8h)
heavy naphthenic distillate		ACGIH	TLV	5 mg/m3 (TWA 8h)
Petroleum distillates,	64742-52-5	OSHA	PEL	5 mg/m3 (as oil mist)
hydrotreated heavy naphthenic		ACGIH	TLV	5 mg/m3 (as oil mist)

Appropriate Engineering Controls: Provide sufficient mechanical (general/and or local exhaust) ventilation to maintain

exposure below exposure guidelines, if applicable, or below levels that cause known,

suspected, or adverse effects.

Personal Protective Measures

Eye/face protection: Use chemical goggles or full face shield.

Hand protection: Use chemically-resistant gloves.

Respiratory protection: Not required under normal conditions of use. If airborne concentrations exceed

applicable exposure limits, use NIOSH approved respiratory protection.

Thermal hazards: Not available

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

Eyewash station and safety shower should be in vicinity of work area.

SECTION 9: Physical and Chemical Properties

Appearance:

Odor:

Mild petroleum

Odor threshold:

PH:

Not available

Not applicable

Insoluble

Viscosity:

Not available

Specific Gravity @ 70F: 0.92

Melting point:Not availableFreezing point:Not available

VOC Content (ASTM E-1868-10): 21.7 g/L AQMD SUPER COMPLIANT

Initial boiling point

and boiling range:

Flash point:

Evaporation rate:

Flammability (solid, gas):

Upper/Lower flammability or explosive limits (%)

Flammability limit-lower: Not available
Flammability limit-upper: Not available
Explosive limit-lower: Not available
Explosive limit-upper: Not available

Vapor pressure<0.01 mmHg @ 20°C</th>Vapor densityHeavier than air

Partition coefficient

(octanol:water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableDecomposition temperatureNot available

SECTION 10: Stability and Reactivity

Reactivity: No reactivity hazards are known.

Chemical Stability: Material is stable under normal conditions of storage and handling.

Possibility of No hazardous reactions are known under normal conditions of use.

hazardous reactions:

Conditions to avoid: Keep away from heat, sparks, open flames. Protect from freezing.

Materials to avoid: Do not store with strong oxidizing agents. Keep away from heat, sparks, open flames, or

all sources of ignition.

Hazardous decomposition

products:

May include carbon monoxide, carbon dioxide, hydrogen sulfide, oxides of calcium and

sulfur.

SECTION 11: Toxicological Information

Acute Toxicity:

Severely solvent refined heavy naphthenic distillate

64741-96-4

Data not available

Petroleum distillates, hydrotreated heavy

naphthenic 64742-52-5 Data not available

Skin: Not expected to be a primary skin irritant. Prolonged or repeated contact may cause

irritation.

Eyes: May cause mild eye irritation.

Inhalation: May cause mild irritation of the respiratory tract with prolonged exposure.

Ingestion: Ingestion may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea,

and abdominal pain.

Delayed and immediate

effects of exposure: Not available.

Classification	Category	Hazard Description	
Acute toxicity (oral)	Not classified	Not applicable	
Acute toxicity (dermal)	Not classified	Not applicable	
Acute toxicity (inhalation)	Not classified	Not applicable	
Skin corrosion/irritation	Not classified	Not applicable	
STOT -single exposure	Not classified	Not applicable	
STOT-repeated exposure	Not classified	Not applicable	
Serious eye damage/eye irritation	Not classified	Not applicable	
Respiratory sensitization	Not classified	Not applicable	
Skin sensitization	Not classified	Not applicable	
Carcinogenicity	Not classified	Not applicable	
Reproductive toxicity	Not classified	Not applicable	

Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

distillates (petroleum), hydrotreated heavy naphthenic

A4: Not classifiable as a human carcinogen.

(CAS 64742-52-5)

distillates (petroleum), hydrotreated heavy naphthenic

A4: Not classifiable as a human carcinogen.

(CAS 64741-96-4)

SECTION 12: Ecological Information

Ecotoxicity: Not expected to cause serious aquatic toxicity. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Ingredient	CAS No.	Algae	Fish	Crustacea
severely solvent refined heavy naphthenic distillate 64741-96-4	• • • .		,	1000: 48 h Daphnia magna mg/L EC50
	64742-52-5		,	1000: 48 h Daphnia magna mg/L EC50

Bioaccumulation potential: Not available.

Mobility: Not available.

Other adverse effects: This material is expected to have adverse effects on marine and plant life. Spills may

contaminate drinking water.

SECTION 13: Disposal Considerations

Disposal instructions:Waste disposal must be in accordance with appropriate US Federal, State and Local

regulations.

Disposal of contaminated containers or packaging:

Dispose of as unused product.

SECTION 14: Transportation Information

DOT

Not regulated as dangerous goods

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

SECTION 15: Regulatory Information

Toxic Substances Control Act

(TSCA):

All components of this product are on the TSCA Inventory or are exempt from

reporting requirements.

SARA 302 Extremely Hazardous

Substances:

No

SARA 311/312 Classification:

Immediate hazardNoDelayed hazardNoFire hazardNoReactive hazardNoPressure hazardNo

SARA 313 Components: No

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm

HMIS Information:

Health	1
Flammability	1
Reactivity	1
Personal Protection	В

NFPA Information:



SECTION 16: Other Information

Issue date: March 30, 2015 Revision date: June 11, 2021

Version: 4.1

Disclaimer: Relton Corporation products are manufactured for professional and industrial use only. Relton Corporation believes the information contained herein is valid and accurate and makes no representation or warranty, express or implied, including the warranties of merchantability and fitness, for a particular purpose with respect to the information contained herein.