SAFETY DATA SHEET



Issuing Date 17-Dec-2014 Revision Date 16-July-2015 Revision Number :1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Carbide Powergrind

Other means of identification

Synonyms 74052, 74552

Recommended use of the chemical and restrictions on use

Recommended Use Synthetic grinding fluid
Uses advised against No information available

Supplier's details

Supplier Address

ITW Pro Brands 616 East Industrial Street Dewitt, IA 52742

TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

Emergency telephone number

Emergency Telephone

Number CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Irritation	Category 1 Subcategory 1B
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Danger

Hazard Statements

- · Causes skin irritation and eye damage
- · May cause respiratory irritation. May cause drowsiness or dizziness





Appearance: Green Physical State: Liquid Odor: Mild

Precautionary Statements

Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash face, hands and any exposed skin thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use only outdoors or in a well-ventilated area.

General Advice

• Immediately call a POISON CENTER or doctor/physician.

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Revision Date: 16-July-2015

• Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- · Wash contaminated clothing before reuse.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion

• IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

- · Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Toxic to aquatic life. Toxic to aquatic life with long lasting effects

11% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Triethanolamine	102-71-6	10-30	
Ethanolamine	141-43-5	3-7	*
Sodium pyridithione	3811-73-2	0.1-1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Call a

physician or Poison Control Center immediately.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower. Call a physician or Poison

Control Center immediately.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing Call a physician or Poison Control Center

immediately.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a physician or Poison

Control Center immediately.

Protection of First-aiders

Use personal protective equipment. Avoid contact with skin, eyes and

clothing.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Dizziness. Serious eye irritation or damage, Burn, Drowsiness, Irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use: Carbon dioxide (CO₂). Water spray. Dry chemical. Foam.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread

fire.

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Keep people away from and

upwind of spill/leak. Ensure adequate ventilation. Do not touch damaged packages or spilled material. Do not get in eyes, on skin, or on clothing. Wear protective gloves/clothing and eye/face

protection.

Environmental Precautions

Environmental PrecautionsDo not allow material to contaminate ground water system. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Dispose of contents/container to an approved

waste disposal plant. Collect spillage.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike to collect

large liquid spills.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material (e.g. sand, silica

gel, acid binder, universal binder, sawdust). Use personal protective equipment. Sweep up and shovel into suitable

containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Ensure adequate ventilation. Do not get in eyes, on skin, or on

clothing. Do not breathe vapors or spray mist. Wear personal

protective equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Store in original container. Keep

locked-up.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	-
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m³ STEL: 6 ppm STEL: 15 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers

> **Evewash stations** Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Skin and Body Protection Wear protective gloves/clothing.

If exposure limits are exceeded or irritation is experienced, Respiratory Protection |

> NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning

of equipment, work area and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Appearance Green Liquid

Odor Mild Odor Threshold No information available

Property Values Remarks/ - Method

pН 10.2 at 10% Melting Point/Range No data available None known **Boiling Point/Boiling Range** 100 °C / 212 °F None known **Flash Point** >93 °C / >200 °F **PMCC Evaporation rate** None known

Flammability (solid, gas) No data available None known Flammability Limits in Air

Carbide Powergrind

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data availableVapor Density>1Specific Gravity1.04

Water Solubility Soluble in water. None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Revision Date: 16-July-2015

None known

None known

None known

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides, Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on

known or supplied information.

Inhalation May cause irritation of respiratory tract. May cause drowsiness

and dizziness.

Eye ContactSkin Contact
Causes serious eye damage.
Causes severe skin burns.

Ingestion Ingestion causes burns of the upper digestive and respiratory

tract.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90 mL/kg (Rat)	-	-
Triethanolamine	= 4190 mg/kg (Rat)	> 2000 mg/kg (Rabbit) > 16 mL/kg (Rat)	-
Ethanolamine	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Irritation: Eye contact with liquid may cause irritation including

stinging, burning, tearing, or reddening of the eyes..

Delayed and immediate effects and also chronic effects from short and long term exposure

SensitizationNo information available. **Mutagenic Effects**No information available.

Carcinogenicity The table below indicates whether each agency has listed any

ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists)

None

IARC: (International Agency for Research on Cancer)

Group 3

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity

STOT - single exposure

STOT - repeated exposure

Aspiration Hazard

No information available.

May cause respiratory irritation.

No information available.

No information available.

Numerical measures of toxicity - Product

11% of the mixture consists of ingredient(s) of unknown

Revision Date: 16-July-2015

toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral

10310 mg/kg; Acute toxicity estimate
LD50 Dermal

15169 mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Toxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Triethanolamine 102-71-6	EC50 72 h: = 216 mg/L (Desmodesmus subspicatus) EC50 96 h: = 169 mg/L (Desmodesmus subspicatus)	LC50 96 h: 10600- 13000 mg/L flow-through (Pimephales promelas) LC50 96 h: > 1000 mg/L static (Pimephales promelas) LC50 96 h: 450 - 1000 mg/L static (Lepomis macrochirus)		EC50 24 h: = 1386 mg/L (Daphnia magna)
Ethanolamine 141-43-5	EC50 72 h: = 15 mg/L (Desmodesmus subspicatus)	LC50: 227 mg/L Pimephales promelas 96 h flow-through LC50: 3684 mg/L Brachydanio rerio 96 h static LC50: 300-1000 mg/L Lepomis macrochirus 96 h static LC50: 114-196 mg/L Oncorhynchus mykiss 96 h static LC50: >200 mg/L Oncorhynchus mykiss 96 h flow-through	EC50 = 110 mg/L 17 h EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	EC50 48 h: = 65 mg/L (Daphnia magna)
Sodium pyridithione 3811-73-2				EC50 48 h: = 0.022 mg/L (water flea)

Persistence and Degradability Bioaccumulation

No information available. No information available.

Chemical Name	Log Pow
Triethanolamine	-2.53
Ethanolamine	-1.91

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated.

MEX Not regulated

15. REGULATORY INFORMATION

Revision Date: 16-July-2015

International Inventories

TSCA Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard
Chronic Health Hazard
No
Fire Hazard
No
Sudden Release of Pressure Hazard
No
Reactive Hazard
No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40CFR 122.42):

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Diethanolamine	111-42-2	Carcinogen
Ethylene oxide	75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Triethanolamine	X	X	Х		X
Ethanolamine	X	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health Hazard 1 Flammability 1 Instability 0 Physical and

Chemical Hazards -

HMIS Health Hazard 1 Flammability 1 Physical Hazard 0 Personal Protection X

Prepared By ITW Pro Brands

616 East Industrial Street

Dewitt, IA 52742

Revision Date 16-July-2015

Revision Note No information available.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet