# **Material Safety Data Sheet**

**Part No.:** 11600 Page 1

# MAGIC BOND EPOXY STICK- GREEN, WHITE, ALUM., COPPER, BLUE

This product appears in the following stock number(s):

Last revised: 09/01/1999 11600 11600G 11605 11610 11615 11620 DA004 **DE154 DE158** DE160 DE166 **DE220 DE230 DE600 DE600B DE603** Printed: 12/4/2001

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Tradename: MAGIC BOND EPOXY STICK- GREEN, WHITE, ALUM., COPPER, BLUE

**General use:** When fully cured, the mixed product is non-hazardous.

Chemical family: Epoxy Resin & Polymercaptan Curing Agent.

**MANUFACTURER** 

ITW Devcon 30 Endicott St. Danvers, MA 01923 **EMERGENCY INFORMATION** 

Emergency telephone number (CHEMTREC): (800) 424-9300

Other Calls: (978) 777-1100

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### HAZARDOUS CONSTITUENTS

#### **Exposure limits**

Constituent	Abbr.	CAS No.	Weight percent	ACGIH TLV	OSHA PEL	Other Limits
Aluminum oxide		1344281	< 5	10 mg/m3 (E)	15 mg/m3	10 mg/m3 (Canada)
Aminoethylpiperazine	AEP	140318	1-10	n/e	n/e	n/e
Crystalline silica		14808607	< 1	0.05 mg/m3	10/(%Q+2) m	0.10 mg/m^3 (Canada)
Bisphenol A diglycidyl ether resin	DGEBPA	25068386	5-20	n/e	n/e	n/e
Glass Oxide		65997173	15-30	n/e	n/e	n/e
Polymercaptan curing agent		*	5-15	n/e	n/e	n/e

<sup>&</sup>quot;TLV" means the Threshold Limit Value exposure (eight-hour, time-weighted average, unless otherwise noted) established by the American Conference of Governmental Industrial Hygienists. "STEL" indicates a short-term exposure limit. "PEL" indicates the OSHA Permissible Exposure Limit."n/e" indicates that no exposure limit has been established. An asterisk (\*) indicates a substance whose identity is a trade secret of our supplier and unknown to us.

# 3. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance, form, odor: Pink/White putty with low odor.

WARNING! Eye and skin irritant. Potential skin sensitizer. May be harmful if swallowed

ITW Devcon	Material Safety Data Sheet
<b>Part No.</b> : 11600	Page 2
Potential health effects	
Primary routes of exposure: Skin contact Skin absorption	Eye contact Inhalation Ingestion
Symptoms of acute overexposure:	
Skin: May cause irritation to sensitive skin.	
Eyes: Mild irritation. Inhalation:	
No data.	
Ingestion:	
No data. May cause irritation, nausea, vomiting, diarrhea.	
Effects of chronic overexposure:	
Prolonged or repeated overexposure may cause allergic senitization (r has shown activity by in vitro microbial mutagenicity screening and pro liver cells.	
Carcinogenicity OSHA regulated: No ACGIH: No	National Toxicology Program: Yes
International Agency for Research on Cancer:Yes	
Cancer-suspect constituent(s): silica	
Medical conditions which may be aggravated by exposure: Allergies, skin disorders.	
4. FIRST AID MEASURES	
First aid for eyes: Flush with clear water for 15 minutes.	
First aid for skin: Remove contaminant and contaminated clothing. Wash thoroughly wit	h soap and water.
First aid for inhalation: Remove to fresh air.	
First aid for ingestion: Contact a physician. Do NOT induce vomiting.	
5. FIRE FIGHTING MEASURES	
Extinguishing media:	
Water Carbon dioxide Dry chemical	Foam Alcohol foam
Flash Point (°F): >500 Method: TCC	
Explosive limits in air (percent) Lower: n/d Upper: n/d	
<b>Special firefighting procedures:</b> Firefighters should wear self-contained breathing apparatus and protections.	ctive clothing.
Unusual fire and explosion hazards:  Toxic smoke and vapors may form during decomposition.	
Hazardous products of combustion: Oxides of carbon, sulfur and nitrogen. Aldehydes, ketones and other u	nknown organic compounds.

# **Material Safety Data Sheet**

**Part No.:** 11600 Page 3

# 6. ACCIDENTAL RELEASE MEASURES

#### **Spill control:**

Not applicable.

#### **Containment:**

Not applicable.

### Cleanup:

Absorb spillage on inert material and discard in suitable containers.

#### Special procedures:

Prevent spill from entering drainage/sewer systems, waterways, and surface waters.

#### 7. HANDLING AND STORAGE

# Handling precautions:

- ---Keep hands away from eyes when handling material or before washing after use. Wash thoroughly after using-particularly before eating or smoking.
- ---If this product is sanded or machined after curing, take appropriate precautions against inhalation of nuisance particulates. A TLV of 2 mg/m3 should be observed.

#### Storage:

---Store in a cool, dry place.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Engineering controls**

#### Ventilation:

General mechanical is satisfactory. If odor is disagreeable, use local exhuast.

# Other engineering controls:

Have emergency shower and eye wash available.

#### Personal protective equipment

#### Eye and face protection:

Safety glasses

#### Skin protection:

Polyethylene gloves for prolonged use.

# Respiratory protection:

None needed in normal use with proper ventilation.

# **Material Safety Data Sheet**

**Part No.:** 11600 Page 4

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Specific gravity: 1.9 Boiling point (°F): n/d

Melting point (°F): n/d Vapor density (air = 1): >1

Vapor pressure (mmHg): Nil at 78 °F Evaporation rate (butyl acetate = 1): <1

VOC (grams/liter): 0 Solubility in water: Negligible

Percent volatile by volume: 0 pH (5% solution or slurry in water): 9.5

Percent solids by weight: 100

# 10. STABILITY AND REACTIVITY

This material is chemically stable. Hazardous polymerization will not occur.

#### Conditions to avoid:

Exposure to open flame or excessive heat.

#### Incompatible materials:

Strong oxidizing agents. Acids. Strong mineral and organic bases.

#### Hazardous products of decomposition:

Oxides of carbon, sulfur and nitrogen. Aldehydes, ketones and other unknown organic compounds.

# Conditions under which hazardous polymerization may occur:

None

#### 11. TOXICOLOGICAL INFORMATION

Acute oral effects: LD50 (rat): No data available.

Acute dermal effects: LD50 (rabbit): No data available.

Acute inhalation effects: LC50 (rat): No data available. Exposure: 0 hours.

#### Eye irritation:

Not available.

# **Subchronic effects:**

Not available.

# Carcinogenicity, teratogenicity, and mutagenicity:

Both the resin and the diglycidyl ether of bisphenol A (a component of this product) have proved to be inactive when tested by In Vivo mutagenicity assays. Both have shown activity by In Vitro microbial mutagenicity screening and have produced chromosomal aberrations in cultured rat liver cells.

#### Other chronic effects:

2-year bioassays in mice exposed by the dermal route to EPON 828, DGEBPA, or other commercial resins yielded

# **Material Safety Data Sheet**

**Part No.:** 11600 Page 5

limited evidence of weak carcinogenicity. The authors concluded that the renal tumor evidence with EPON 828 "was of no biological significance" and that the resin "is not a systemic carcinogen when applied to the dorsal skin of CF1 mice."

Toxicological information on hazardous chemical constituents of this product:

Constituent	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 4hr, (rat)
Aluminum oxide	n/d	n/d	n/d
Aminoethylpiperazine	2140 mg/kg	880 mg/kg	n/d
Crystalline silica	n/d	n/d	n/d
Bisphenol A diglycidyl ether resin	11.4 g/kg	>20 ml/kg	no deaths
Glass Oxide	n/d	n/d	n/d
Polymercaptan curing agent	n/d	n/d	n/d

'n/d' = 'not determined'

# 12 ECOLOGICAL INFORMATION

# **Ecotoxicity:**

Not available.

# Mobility and persistence:

Not available.

# **Environmental fate:**

Not available.

# 13. DISPOSAL CONSIDERATIONS

Please see also Section 15, Regulatory Information.

# Waste management recommendations:

Remove to a waste disposal facility operating in compliance with state and local regulations.

# **Material Safety Data Sheet**

**Part No.:** 11600 Page 6

# 14. TRANSPORT INFORMATION

Proper shipping name: Non-regulated

Technical name: N/A
Hazard class: N/A
UN number: N/A
Packing group: N/A

Emergency Response Guide no.: N/A

IMDG page number: N/A
Other: N/A

# 15. REGULATORY INFORMATION

# **U.S. Federal Regulations**

#### **TSCA**

All ingredients of this product are listed, or are exempt from listing, on the TSCA inventory.

# The following RCRA code(s) applies to this material if it becomes waste:

None

# Regulatory status of hazardous chemical constituents of this product:

Constituent	Extremely Hazardous*	Toxic Chemical**	CERCLA RQ (lbs)	TSCA 12B Export Notification
Aluminum oxide	No	Yes	0.0	Not required
Aminoethylpiperazine	No	No	0.0	Not required
Crystalline silica	No	No	0.0	Not required
Bisphenol A diglycidyl ether resin	No	No	0.0	Not required
Glass Oxide	No	No	0.0	Not required
Polymercaptan curing agent	No	No	0.0	Not required

<sup>\*</sup>Consult the appropriate regulations for emergency planning and release reporting requirements for substances on the SARA Section 301 Extremely Hazardous Substance list.

# For purposes of SARA Section 312 hazardous materials inventory reporting, the following hazard classes apply to this material: - Immediate health hazard -- Delayed health hazard --

# **Canadian regulations**

<sup>\*\*</sup>Substances for which the "Toxic Chemical" column is marked "Yes" are on the SARA Section 313 list of

Toxic Chemicals, for which release reporting may be required. For specific requirements, consult the appropriate regulations.

# **Material Safety Data Sheet**

**Part No.:** 11600 Page 7

WHMIS hazard class(es): D2B; D2A

All components of this product are on the Domestic Substances List.

# 16. OTHER INFORMATION

Hazardous Materials Identification System (HMIS) ratings:	Health 1*	Flammability	Reactivity 0	

The information and recommendations in this document are based on the best information available to us at the time of preparation, but we make no other warranty, express or implied, as to its correctness or completeness, or as to the results of reliance on this document.