SAFETY DATA SHEET

1. Identification		
Product identifier	DEVCON® Stainless Steel Putty (ST) Real	sin
Other means of identification SKU#	0114	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier	Distributor information	
Company name	ITW Performance Polymers	
Address	35 Brownridge Rd	
	Unit 1	
	Halton Hills, ON L7G 0C6	
Contact person	Customer Service	
Telephone number	978-777-1100	
Fax		
E-mail		
Emergency telephone number	800-424-9300	
Supplier	Not available.	
2. Hazard identification		
Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.	
Precautionary statement		
Prevention	Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.	
Response	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance	e with local/regional/national/international regulations.
Other hazards	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Iron		7439-89-6	40 - 70
Epoxy Resin:reaction Product Bisphenol A And Epichlorohydr (refer To Epichlorohydrin)		25068-38-6	15 - 40
CHROMIUM, ELEMENTAL		7440-47-3	10 - 30
Nickel Powder		7440-02-0	1 - 5
Other components below report	able levels		3 - 7
All concentrations are in percent b	y weight unless ingredient is a gas. Gas conce	ntrations are in percent by vol	ume.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	is develop or persist.	
Skin contact	Remove contaminated clothing immediately a eczema or other skin disorders: Seek medica contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get		
Ingestion	Rinse mouth. Get medical attention if sympto		
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. Skin irritation. May cause redness and Rash.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Ensure that medical personnel are aware of t protect themselves. Wash contaminated cloth		ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	oon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p		n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers		
Specific methods	Use standard firefighting procedures and con	sider the hazards of other invo	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing or spilled material unless wearing appropriate Local authorities should be advised if significat protection, see section 8 of the SDS.	g during clean-up. Do not touc protective clothing. Ensure a	h damaged containers dequate ventilation.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this i possible. Absorb in vermiculite, dry sand or e recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	l (e.g. cloth, fleece). Clean sur	face thoroughly to
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or	•	section 13 of the SDS.
7. Handling and storage			
Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapours/s Provide adequate ventilation. Wear appropria	spray. Avoid contact with eyes te personal protective equipm	, skin, and clothing. ent. Observe good
	industrial hygiene practices.		

•	onal protection		
upational exposure limits			
US. ACGIH Threshold Limit		Value	Form
Components	Туре	Value	
CHROMIUM, ELEMENTAL (CAS 7440-47-3)	TWA	0.5 mg/m3	Inhalable fraction.
Nickel Powder (CAS 7440-02-0)	TWA	1.5 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occu Components	ipational Health & Safety Code, Sched Type	ule 1, Table 2) Value	
CHROMIUM, ELEMENTAL (CAS 7440-47-3)	TWA	0.5 mg/m3	
Nickel Powder (CAS 7440-02-0)	TWA	1.5 mg/m3	
Canada. British Columbia O Safety Regulation 296/97, as	ELs. (Occupational Exposure Limits fo amended)	or Chemical Substances, Oc	cupational Health and
Components	Туре	Value	
CHROMIUM, ELEMENTAL (CAS 7440-47-3)	TWA	0.5 mg/m3	
Nickel Powder (CAS 7440-02-0)	TWA	0.05 mg/m3	
	g. 217/2006, The Workplace Safety And	d Health Act)	
Components	Туре	Value	Form
CHROMIUM, ELEMENTAL (CAS 7440-47-3)	TWA	0.5 mg/m3	Inhalable fraction.
Nickel Powder (CAS 7440-02-0)	TWA	1.5 mg/m3	Inhalable fraction.
Canada. Ontario OELs. (Con	trol of Exposure to Biological or Chem	nical Agents)	
Components	Туре	Value	Form
CHROMIUM, ELEMENTAL (CAS 7440-47-3)	TWA	0.5 mg/m3	
Nickel Powder (CAS 7440-02-0)	TWA	1 mg/m3	Inhalable fraction.
Canada. Quebec OELs. (Min Components	istry of Labor - Regulation respecting Type	occupational health and sat Value	fety)
CHROMIUM, ELEMENTAL (CAS 7440-47-3)	TWA	0.5 mg/m3	
Nickel Powder (CAS 7440-02-0)	TWA	1 mg/m3	
	s (Occupational Health and Safety Reg Type	gulations, 1996, Table 21) Value	Form
CHROMIUM, ELEMENTAL	15 minute	1.5 mg/m3	
(CAS 7440-47-3)	8 hour	0.5 mg/m3	
	o nour	-	
	15 minute	3 mg/m3	Inhalable fraction.
(CAS 7440-47-3) Nickel Powder (CAS		3 mg/m3 1.5 mg/m3	Inhalable fraction.
(CAS 7440-47-3) Nickel Powder (CAS 7440-02-0)	15 minute 8 hour	1.5 mg/m3	
(CAS 7440-47-3) Nickel Powder (CAS	15 minute	1.5 mg/m3 the ingredient(s).	Inhalable fraction.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Face shield is recommended.	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

9. Physical and chemical properties

•	
Appearance	Paste.
Physical state	Solid.
Form	Paste.
Colour	Dark grey
Odour	Slight.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	320 °C (608 °F) estimated
Flash point	> 204.4 °C (> 399.9 °F) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	3.10 g/cm3
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	3.1
VOC	0 g/l

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of e	exposure		
Inhalation	Knowledge about health hazard is incomplete.		
Skin contact	Causes skin irritation. May	cause an allergic skin reaction.	
Eye contact	Causes serious eye irritatio	Causes serious eye irritation.	
Ingestion	Knowledge about health ha	zard is incomplete.	
Symptoms related to the physical, chemical and toxicological characteristics		Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	
Information on toxicological eff	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritatio	n.	
Respiratory or skin sensitisatio	n		
Canada - Alberta OELs: Irri			
CHROMIUM, ELEMENT	AL (CAS 7440-47-3)	Irritant	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.		
Skin sensitisation	May cause an allergic skin i	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		
ACGIH Carcinogens			
Nickel Powder (CAS 744 Canada - Manitoba OELs: c			
•	lickel Powder (CAS 7440-02-0) Not suspected as a human carcinogen. Monographs. Overall Evaluation of Carcinogenicity		
CHROMIUM, ELEMENT Nickel Powder (CAS 744	ENTAL (CAS 7440-47-3)3 Not classifiable as to carcinogenicity to humans.7440-02-0)2B Possibly carcinogenic to humans.		
Nickel Powder (CAS 744	ogram (NTP) Report on Carc	-	
Reproductive toxicity	,	Reasonably Anticipated to be a Human Carcinogen.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.		
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.		
12. Ecological informatio	n		
Ecotoxicity		d as environmentally hazardous. However, this does not exclude the uent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		

No data available.

Mobility in soil

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed. **Greenhouse Gases** Not listed. Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011) CHROMIUM, ELEMENTAL (CAS 7440-47-3) Nickel Powder (CAS 7440-02-0) **Precursor Control Regulations** Not regulated. International regulations Stockholm Convention Not applicable. **Rotterdam Convention** Not applicable. **Kyoto Protocol** Not applicable. **Montreal Protocol** Not applicable. **Basel Convention** Not applicable. International Inventories Country(s) or region Inventory name On inventory (yes/no)* Australian Inventory of Chemical Substances (AICS) Australia Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No

Country(s) or region	Inventory name On invento	ry (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with the inventory requirements administered by the governing country	(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information 29-May-2019 Issue date **Revision date** 03-May-2020 Version No. 02 ITW Performance Polymers cannot anticipate all conditions under which this information and its Disclaimer product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. This document has undergone significant changes and should be reviewed in its entirety. **Revision information**

SAFETY DATA SHEET

1. Identification

Product identifier	DEVCON® Stainless Steel Putty (ST) Hardener		
Other means of identification			
SKU#	5304N		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	r/Distributor information		
Company name	ITW Performance Polymers		
Address	35 Brownridge Rd		
	Unit 1		
	Halton Hills, ON L7G 0C6		
Contact person	Customer Service		
Telephone number	978-777-1100		
Fax E-mail			
	800-424-9300		
Emergency telephone number	000-424-3000		
Supplier	Not available.		
2. Hazard identification			
	Not classified.		
Physical hazards Health hazards		Cotogony 4	
nearth nazarus	Acute toxicity, oral	Category 4	
	Acute toxicity, dermal	Category 4	
	Skin corrosion/irritation	Category 1	
	Serious eye damage/eye irritation	Category 1	
Environmental hazards	Sensitization, skin Not classified.	Category 1	
	Not classified.		
Label elements	• •		
	\land		
Signal word	Danger		
Hazard statement	U U	with skin. Causes severe skin burns and eve damage	
	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.		
Precautionary statement			
Prevention		bughly after handling. Do not eat, drink or smoke when	
	using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.		
Response		induce vomiting. IF ON SKIN (or hair): Take off	
Response		inse skin with water. IF INHALED: Remove person to	
		ing. IF IN EYES: Rinse cautiously with water for several	
		ent and easy to do. Continue rinsing. Immediately call a nor rash occurs: Get medical advice/attention. Take off	
	contaminated clothing and wash it before		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		

3. Composition/information on ingredients

-			
Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Fatty Acids, C18-unsatd., Dime Oligomeric Reaction Products Tall-oil Fatty Acids And Triethylenetetramine		68082-29-1	30 - 60
TRIETHYLENETETRAMINE	TETA	112-24-3	30 - 60
Silica, amorphous, fumed	Silica, amorphous, fumed, crystfree	112945-52-5	5 - 10
Other components below repo	rtable levels		1 - <3
All concentrations are in percent b	by weight unless ingredient is a gas. Gas concent	trations are in percent by volu	ime.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	s develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physic or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.		
Eye contact		nmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if resent and easy to do. Continue rinsing. Call a physician or poison control centre immediately.	
Ingestion		all a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If omiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Most important symptoms/effects, acute and delayed		ing pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may de stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including ness could result.	
Indication of immediate medical attention and special treatment needed	immediately. While flushing, remove clothes w	eat symptomatically. Chemical burns: Flush with water which do not adhere to affected area. Call an ort to hospital. Keep victim warm. Keep victim under	
General information	Ensure that medical personnel are aware of th protect themselves. Show this safety data she clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxic	le (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from During fire, gases hazardous to health may be formed.			

the chemical	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for	Use water spray to reduce vapours or divert vapour cloud drift.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent materia remove residual contamination.	al (e.g. cloth, fleece). Clean surface thoroughly to	
	Never return spills to original containers for re	e-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses of	r onto the ground.	
7. Handling and storage			
Precautions for safe handling	Avoid prolonged exposure. When using, do r	yes, on skin, or on clothing. Do not taste or swallow. not eat, drink or smoke. Provide adequate ventilation. nent. Wash hands thoroughly after handling. Wash e good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed conta Section 10 of the SDS).	iner. Store away from incompatible materials (see	
8. Exposure controls/pers	sonal protection		
Occupational exposure limits			
•	ntrol of Exposure to Biological or Chemical	•	
Components	Туре	Value	
TRIETHYLENETETRAMIN E (CAS 112-24-3)	TWA	3 mg/m3 0.5 ppm	
Biological limit values	No biological expensive limits poted for the in		
Biological limit values Exposure guidelines	No biological exposure limits noted for the in	gredient(s).	
Canada - Ontario OELs: Ski	n designation		
TRIETHYLENETETRAM	-	rbed through the skin.	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measures, Eye/face protection	such as personal protective equipment Wear safety glasses with side shields (or goo recommended.	ggles) and a face shield. Face shield is	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other			
Respiratory protection	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Thermal hazards	In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		
9. Physical and chemical	properties		
Appearance	Paste.		

Appearance	Paste.
Physical state	Liquid.
Form	Paste.
Colour	White
Odour	Ammoniacal.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	12 °C (53.6 °F) estimated

Initial boiling point and boiling range	266 °C (510.8 °F) estimated
Flash point	143.3 °C (290.0 °F) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	0.0005 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	337.78 °C (640 °F) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.03 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidising properties	Not oxidising.
Specific gravity	1.03 estimated
VOC	0 g/l
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Peroxides. Phenols.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

internation on interj reated of	
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Information on toxicological of	forts

Information on toxicological effects Acute toxicity Ha


Harmful in contact with skin. Harmful if swallowed.

Components	Species	Test Results	
Silica, amorphous, fumed (CAS 1	12945-52-5)		
<u>Acute</u>			
Oral			
LD50	Rat	> 22500 mg/kg	
TRIETHYLENETETRAMINE (CAS	S 112-24-3)		
Acute			
Dermal			
Liquid LD50	Rat	1465 mg/kg	
	Rat	1465 mg/kg	
Oral Liquid			
LIQUIU LD50	Rat	1716 mg/kg	
Skin corrosion/irritation	Causes severe skin burns and eye dam	lage.	
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitisatio	n		
Respiratory sensitisation	Not a respiratory sensitizer.		
Skin sensitisation	May cause an allergic skin reaction.		
Germ cell mutagenicity		any components present at greater than 0.1% are	
0,	mutagenic or genotoxic.		
Carcinogenicity			
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Silica, amorphous, fume	d (CAS 112945-52-5) 3 Not cl	assifiable as to carcinogenicity to humans.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological informatio	n		
Ecotoxicity	The product is not classified as environ	mentally hazardous. However, this does not exclude the an have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradabilit	y of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation		
	potential, endocrine disruption, global w	varming potential) are expected from this component.	
13. Disposal consideration	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. Transport information

TDG	
UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE), Limited Quantity
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	II
Environmental hazards	Not available.
	r Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN2735
UN proper shipping name	Amines, liquid, corrosive, n.o.s. (TRIETHYLENETETRAMINE), Limited Quantity
Transport hazard class(es)	
Class	8
Subsidiary risk	
Packing group	
Environmental hazards	No.
ERG Code	8L
Other information	r Read safety instructions, SDS and emergency procedures before handling.
	Allowed with restrictions.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.
	(TRIETHYLENETETRAMINE), Limited Quantity
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
· ·	 Read safety instructions, SDS and emergency procedures before handling. Not established.
Transport in bulk according to Annex II of MARPOL 73/78 and	างปี ธรีเติมแรกเซน.
the IBC Code	





15. Regulatory information

Canadian regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.	
Controlled Drugs and Sul	bstances Act	
Not regulated.		
Export Control List (CEPA	A 1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed. Precursor Control Regula	tiono	
	luons	
Not regulated.		
nternational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto Protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Ye
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	N
Europe	European List of Notified Chemical Substances (ELINCS)	N
Japan	Inventory of Existing and New Chemical Substances (ENCS)	N
Korea	Existing Chemicals List (ECL)	Ye
New Zealand	New Zealand Inventory	Ye
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Ye
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Ye
United States & Puerto Rice	• • •	Yes
	ponents of this product comply with the inventory requirements administered by t ore components of the product are not listed or exempt from listing on the inventor	he governing country(s)

country(s).

16. Other information

16-June-2019
29-April-2021
03
ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
This document has undergone significant changes and should be reviewed in its entirety.