Permatex, A Brand of ITW Devcon 30 Endicott St. Danvers, MA 01923 USA Telephone: 978-777-1100 Emergency: 800-424-9300

Material Safety Data Sheet

1. PRODUCT IDENTIFICATION

Product Name: PENETRATING GRADE THREADLOCKER GREEN 50ML Item No: 29050 **Product Type:** Anaerobic

2. COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredients	Percent	ACGIH 8 Hr. TWA:	OSHA 8 Hr. TWA:
METHACRYLATE MONOMER 25852-47-5	80-90	Not Listed	Not Listed
SACCHARIN 81-07-2	1-10	10mg/m ³ nuisance dust	Not Listed
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	1-10	Not Listed	Not Listed
ALKYL TOLUIDINE 613-48-9	1-10	Not Listed	Not Listed
AROMATIC AMINE 609-72-3	1-10	Not Listed	Not Listed

3. HAZARDS IDENTIFICATION

Toxicity:

May cause eye and skin irritation. At elevated temperatures may cause irritation of the respiratory tract. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. May cause skin sensitization.

Primary Routes of Entry:

Eye and skin contact, ingestion, inhalation. Signs and Symptoms of Exposure: Repeated skin contact may cause allergic skin reactions. Ingestion may cause nausea and vomiting. Inhalation overexposure may cause irritation, coughing and flu-like symptoms. May cause pain, redness or swelling of the eyes and excessive blinking and tear production.

Ingredients	Percent	NTP:	ACGIH Carcinogens	IARC:
SACCHARIN 81-07-2	1-10	Delisted April 2000		Group 3: Vol 73, Page 517: 1999

Medical Conditions Recognized as Preexisting skin disorders. Being Aggravated by Exposure:

4. FIRST AID MEASURES

Ingestion: If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention... Inhalation: Move to fresh air in case of accidental inhalation of vapors. Oxygen or artificial respiration if needed. Obtain medical attention. Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes If Skin Contact: skin irritation persists, call a physician In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical Eye Contact: attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point (°F/C):	More than 200 degrees F. Method: PMCC
Recommended Extinguishing Media:	Water fog, carbon dioxide, foam, dry chemical.
Special Fire-Fighting Procedures:	Firefighters should wear self-contained breathing apparatus.
Hazardous Products Formed by Fire or Thermal	Irritating vapors
Decomposition:	
Unusual Fire/Explosion Hazards:	None
Lower Explosive Limit:	Not determined
Upper Explosive Limit:	Not determined

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures:

Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

7. HANDLING AND STORAGE

Storage:	Store below 100 degrees F	
Handling:	Avoid prolonged skin contact. Keep away from eyes.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:	Safety glasses.	
Skin:	Neoprene or nitrile gloves recommended	
Ventilation:	General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.	
Respiratory Protection:	An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the applicable limits.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odor: Boiling Point (°F): pH: Solubility in Water: Specific Gravity: VOC Content(Wt.%): Vapor Pressure: Vapor Density (Air=1): Evaporation Rate: Green liquid MILD More than 200 degrees C. Does not apply Insoluble >1.0 Not determined Not determined Heavier than air Not Determined

10. STABILITY AND REACTIVITY

Chemical Stability: Hazardous Polymerization: Incompatabilities: Conditions to Avoid: Hazardous Products Formed by Fire or Thermal Decomposition:

11. TOXICOLOGICAL INFORMATION

See Section 3

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations. US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

Domestic Ground Transport

DOT Shipping Name:	Unrestricted
Hazard Class:	None
UN/ID Number:	None
Marine Pollutant:	None

IATA

Proper Shipping Name: Class or Division: UN/NA Number: Not regulated None None Stable at normal conditions Will not occur Strong oxidizers. Heat Irritating vapors.

IMDG

Proper Shipping:	
Hazard Class:	
UN Number:	

Unrestricted None None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

SARA 313 Information

DIMETHYLBENZYL HYDROPEROXIDE

CALIFORNIA PROP 65:

No California Prop 65 chemicals are known to be present.

TSCA Inventory Status:

Listed on Inventory: YES All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating: HEALTH 2, FLAMMABILITY 1, REACTIVITY 1 Estimated HMIS Classification: HEALTH 2, FLAMMABILITY 1, PHYSICAL HAZARD 0 NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:	Denise Boyd, Health and Safety Manager	Revision Date: 08/29/2003
Company:	Permatex. Inc. 10 Columbus Blvd. Hartford, CT USA 06106	Revision 2 Number: