#### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: Marine Clean Product Use/Restriction: Degreaser Manufacturer Name: POR-15, Inc. Address: P.O. Box 1235

Morristown, NJ 07962-1235

General Phone Number: 800-457-6715 973-887-1999 Customer Service Phone

Number:

**Technical Product** 800-457-6715 Information:

Emergency Phone Number: 1-800-457-6715

CHEMTREC: For emergencies in the US, call CHEMTREC: 800-424-9300

MSDS Format:

### SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
Potassium Hydroxide	1310-58-3	12 - 12 by weight	
Ethylene Glycol Monobutyl Ether	111-76-2	6 - 6 by weight	

### SECTION 3 - HAZARDS IDENTIFICATION

Route of Exposure: Skin, eyes

Potential Health Effects:

Skin: Inhalation:

Ingestion:

Chronic Health Effects:

Signs/Symptoms: Not Applicable

Target Organs:

Aggravation of Pre-Existing

Not Applicable

# SECTION 4 - FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for 15 to 20 minutes occasionally

lifting eyelids. Get medical attention, if irritation or symptoms of overexposure

Skin Contact: Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while

 $removing\ contaminated\ clothing\ and\ shoes.\ Get\ medical\ attention\ if\ irritation$ develops or persists. Wash contaminated clothing thoroughly before re-use.

If inhaled, remove to fresh air. If not breathing, give artificial respiration or give Inhalation: oxygen by trained personnel. Seek immediate medical attention if necessary.

If swallowed, do NOT induce vomiting. Call a physician or poison control center

immediately. Never give anything by mouth to an unconscious person.

Note to Physicians:

Other First Aid:

Ingestion:

# SECTION 5 - FIRE FIGHTING MEASURES

Flammable Properties:

Flash Point: No data T.O.C. Flash Point Method:

Auto Ignition Temperature: Lower Flammable/Explosive Limit: Upper Flammable/Explosive Limit:

Fire Fighting Instructions: Not Applicable

Extinguishing Media: Dry chemical (e.g. monoammonium phosphate, potassium sulfate, and potassium

chloride), carbon dioxide, high expansion (proteinic) chemical foam, sand.

Unsuitable Media:

As in any fire wear self-contained breathing apparatus pressure-demand, Protective Equipment:

MSHA/NIOSH (approved or equivalent) and full protective gear.

Unusual Fire Hazards: Not Applicable

Hazardous Combustion

Byproducts:

Marine Clean

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Environmental Precautions:

Spill Cleanup Measures: Flush with copious amounts of water.

Other Precautions:

### SECTION 7 - HANDLING and STORAGE

Handling: Avoid freezing.

Storage:

Work Practices:

Special Handling Procedures:

Hygiene Practices: Not Applicable

### SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Use appropriate engineering control such as process enclosures, local exhaust

ventilation, or other engineering controls to control airborne levels below

recommended exposure limits. Not Applicable

Eye/Face Protection: Wear appropriate protective glasses or splash goggles as described by 29 CFR

1910.133, OSHA eye and face protection regulation, or the European standard EN

166. Contact lenses should not be worn.

Skin Protection Description: Cover as much of the exposed skin area as possible with appropriate clothing. If

skin creams are used, keep the area covered to a minimum.

& dbo\_Section8.HandProtectionDescription

Respiratory Protection: Not Applicable

Other Protective: Eyewash and deluge shower should be available.

**EXPOSURE GUIDELINES** 

Notes:

# SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Flash Point: No data Flash Point Method: T.O.C.

Auto Ignition Temperature:

#### SECTION 10 - STABILITY and REACTIVITY

Chemical Stability: Stable

Reactivity:

Hazardous Polymerization: Not Applicable

Conditions to Avoid:

Incompatible Materials: Acid materials

Special Decomposition Products:

#### SECTION 11 - TOXICOLOGICAL INFORMATION

### SECTION 12 - ECOLOGICAL INFORMATION

## SECTION 13 - DISPOSAL CONSIDERATIONS

# SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: Paint or Paint related material

DOT UN Number: UN3066
DOT Hazard Class: 8
DOT Packing Group: III

### SECTION 15 - REGULATORY INFORMATION

### SECTION 16 - ADDITIONAL INFORMATION

Copyright© 1996-2010 <u>Actio Software Corporation</u>.

All Rights Reserved.

Revison:, Version:0.0000 Page:2 of 3

Marine Clean

Revison:, Version:0.0000 Page:3 of 3