Safety data sheet

Issue date: 23-12-2011 Version: 01.00/GHS.ENG

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: 150 Feet of ENERGY

Substance name: 1,1-difluoroethane

Registration number:

EC No.: 200-866-1 CAS No.: 75-37-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Portable compressor for vFan Airbrush.

Paint compressor and duster.

1.3. Details of the supplier of the safety data sheet

Distributor: CA Acquisitions Dba Preval

1300 E North Street Coal City IL 60416

USA

Tel: 877-753-0021
Fax: 815-634-5861
Email: sales@preval.com

1.4. Emergency telephone number

NSW Poisons Information Centre: +61 2 984 53 595, Queensland Poisons Information Centre: +61 7 363 68 148, Victorian Poisons Information Centre: +61 394 96 4509, Western Australian

Poisons Information Centre: +61 893 46 1943.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

DSD-classification: F+;R12

CLP-classification: Flam. Gas 1;H220 Press. Gas liq. gas; H280

Please see section 16 for the full text of R-phrases and H-phrases.

Most serious harmful effects: Extremely flammable gas. Contains gas under pressure, may explode if heated.

2.2. Label elements





Signal word:

Danger

Contains: 1,1-difluoroethane (EC No. 200-866-1)

H-phrases: Extremely flammable gas.

Contains gas under pressure, may explode if heated.

P-phrases: Keep out of reach of children.

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Eliminate all ignition sources if safe to do so.

Protect from sunlight. Store in a well-ventilated place.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

SECTION 3: Composition/information on ingredients

3.1. Substances

 Registration number
 CAS/ EC No.
 Substance
 DSD-classification/ CLP-classification
 w/w%
 Note

 .
 75-37-6
 1,1-difluoroethane
 Fx;R12
 100
 .

 .
 200-866-1
 Flam. Gas 1;H220 Press. Gas liq. gas;H280
 .
 .

Please see section 16 for the full text of R-phrases and H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. In case of respiratory stop, administer artificial respiration/oxygen (but not the

mouth-to-nose method)

Ingestion: Not relevant, as the product is a gas.

Skin: Seek medical advice immediately if symptoms indicate that the gas has been absorbed through

the skin. See below in case of frostbite.

On frostbite: rinse with plenty of lukewarm water (max 37 °C). Do not remove clothes until

thawed. Seek medical advice.

Eyes Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes.

Open eye wide. Remove any contact lenses. Seek medical advice in case of frostbite.

Burns: Flush with water until pain ceases. Remove clothing that is not stuck to the skin – seek medical

advice/transport to hospital. If possible, continue flushing until medical attention is obtained.

Other information: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Splashes of gas in the eyes may cause frostbite. Direct contact may cause frostbite. The skin becomes numb and white. Pains, reddening and wounds follow. The gas may displace

atmospheric air, thereby causing risk of suffocation.

4.3. Indication of any immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Ensure that medical personnel

are aware of the material involved, and take precautions to protect themselves.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing media Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Heating will induce a significant increase in pressure with a risk of bursting. Remove the pressurized cylinder from the danger area if it can be done without risk. Keep well away from the fire. Cool with a water stream if possible. Avoid inhalation of vapour and flue gases – seek fresh

air.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) and a gas-tight suit. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases – seek

fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Smoking and naked flames prohibited. Keep unnecessary personnel away. Shut off gas

supply. Provide adequate ventilation. Stay upwind/keep distance from source. Wear

respiratory protective equipment. Wear gloves. Wear safety goggles.

For emergency responders: In addition to the above: Normal protective clothing. A cold protection suit is also

recommended.

6.2. Environmental precautions

Avoid unnecessary release to the environment.

6.3. Methods and material for containment and cleaning up

Shut off gas supply. Provide adequate ventilation.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Smoking and naked flames prohibited. Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. See item 8 for information about personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50 °C. Store in a well-ventilated area. Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Legal basis:

Contains no substances subject to reporting requirements.

8.2. Exposure controls

Appropriate engineering controls: Wear the personal protective equipment specified below. See also section 7.1.

Personal protective equipment,

eye/face protection:

Wear safety goggles.

Personal protective equipment,

skin protection:

Wear gloves that protect against cold and pressure effects, e.g. strong leather gloves. The

gloves must be loose enough to be shaken off easily.

Personal protective equipment,

respiratory protection:

In case of insufficient ventilation, wear respiratory protective equipment.

Environmental exposure controls: Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Gas Colour: No data Odour: No data Odour threshold: No data pH (solution for use): No data pH (concentrate): No data Melting point/freezing point: No data Initial boiling point and boiling -50℃

range: Flash point: No data Evaporation rate: No data Flammability (solid, gas): No data Upper/lower flammability limits: No data Upper/lower explosive limits: No data Vapour pressure: No data Vapour density: No data Relative density: 0.91

Solubility: Insoluble in water

Partition coefficient

n-octanol/water:

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data

Viscosity:

No data

Explosive properties:

No data

Oxidising properties:

No data

9.2. Other information

None.

No data

SECTION 10: Stability and reactivity

10.1. Reactivity

The product may ignite on contact with e.g. heat or a spark.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable

and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: By normal handling, gases cannot be ingested. The product does not have to be classified.

Test data are not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: Direct contact may cause frostbite. The skin becomes numb and white. Pains, reddening and

wounds follow. The product does not have to be classified. Test data are not available.

Serious eye damage/eye irritation: Splashes of gas in the eyes may cause frostbite. The product does not have to be classified.

Test data are not available.

Respiratory sensitisation or skin

sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The gas may displace atmospheric air, thereby causing risk of suffocation.

Inhalation may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication. The product does not have to be classified. Test data are not

available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14: Transport information ADR/RID

14.1. UN number 1030

14.2. UN proper shipping name 1,1-DIFLUOROETHANE

14.3. Transport hazard class(es)
14.4. Packing group
Hazard identification number
23
Tunnel restriction code:
B/D

14.5. Environmental hazards

The product should not be labelled as an environmental hazard (symbol: fish and tree).

ADN

14.1. UN number 1030

14.2. UN proper shipping name 1,1-DIFLUOROETHANE

14.3. Transport hazard class(es)2.114.4. Packing group-

14.5. Environmental hazards

The product should not be labelled as an environmental hazard (symbol: fish and tree).

Environmental hazard in tank

vessels:

-

IMDG

14.1. UN number 1030

14.2. UN proper shipping name 1,1-DIFLUOROETHANE

14.3. Transport hazard class(es)2.114.4. Packing group-

14.5. Environmental hazards The product is not a Marine Pollutant (MP).

IMDG Code segregation group: -

ICAO/IATA

14.1. UN number 1030

14.2. UN proper shipping name 1,1-DIFLUOROETHANE

14.3. Transport hazard class(es)2.114.4. Packing group-

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions: None.

15.2. Chemical safety assessment

Chemical safety assessment has not been performed.

SECTION 16: Other information

Abbreviation explanations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

R-phrases: R12 Extremely flammable.

H-phrases: H220 Extremely flammable gas.

H280 Contains gas under pressure, may explode if heated.

Training: A thorough knowledge of this safety data sheet should be a prerequisite condition.

LFJ/ Bureau Veritas HSE Denmark A/S Birkemosevej 7, DK-6000 Kolding T: +45 75508811, F: +45 75508810, E-mail: infohse@dk.bureauveritas.com, Web: www.hse.bureauveritas.dk (Made in Toxido®) EU UK