





1 - Chemical Product and Company Identification

Manufacturer: WD-40 Company

Address: 1061 Cudahy Place (92110)

P.O. Box 80607

San Diego, California, USA

92138 -0607

Telephone:

Emergency only: 1-888-324-7596

(PROSAR)

Information: 1-888-324-7596

Trade Name: 3-IN-ONE Professional Heavy-

**Duty Cleaner Degreaser** 

**Chemical Name: Organic Mixture** 

**Product Use: Cleaner, Degreaser** 

MSDS Date Of Preparation: 8/13/07

#### 2 - Hazards Identification

# **Emergency Overview:**

**CAUTION!** Contents under pressure. May be irritating to eyes, respiratory tract and skin. Repeated skin contact may cause allergic skin reaction. Prolonged overexposure may cause liver, blood, lymphatic system or central nervous system effects. Prolonged or repeated skin exposure may cause drying, defatting and dermatitis. Use with adequate ventilation. Keep away from heat, sparks and all other sources of ignition. Avoid eye contact and inhalation.

### **Symptoms of Overexposure:**

**Inhalation:** Inhalation may cause nose, throat, and respiratory tract irritation, coughing, headache, and anesthesia. Prolonged exposure to the propellant may cause rapid breathing, headache and dizziness.

**Skin Contact:** May cause skin irritation. Prolonged contact may cause defatting, dermatitis, and drying of the skin. May cause sensitization by skin contact.

Eye Contact: May cause eye irritation with redness, tearing and blurred vision.

**Ingestion:** May be harmful if swallowed. Ingestion may cause vomiting and headache. May cause damage to liver and kidneys.

**Chronic Effects:** May cause blood disorders, liver, lymphatic system and ventral nervous system effects based on animal data.

**Medical Conditions Aggravated by Exposure:** Preexisting skin conditions or allergies may be aggravated by exposure.

#### **Suspected Cancer Agent:**

Yes No X

3 - Composition/Information on Ingredients

| Ingredient                | CAS#        | Weight Percent |
|---------------------------|-------------|----------------|
| 2-Butoxyethanol           | 111-76-2    | 5-7%           |
| Limonene                  | 5989-27-5   | 5-7%           |
| Propellant                | Proprietary | 8-10%          |
| Non-hazardous Ingredients | Mixture     | Balance        |

#### See Section 8 for Exposure Limits

## 4 – First Aid Measures

**Ingestion (Swallowed):** Do not induce vomiting. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596 immediately.

**Eye Contact:** Flush thoroughly with water for 15 minutes. Get immediate medical attention. **Skin Contact:** Wash thoroughly with soap and water. If irritation develops and persists, get medical attention.

**Inhalation (Breathing):** If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

# **5 – Fire Fighting Measures**

Extinguishing Media: Use water fog, dry chemical, carbon dioxide or foam.

**Special Fire Fighting Procedures**: Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire-exposed containers with water. Use shielding to protect from bursting cans.

**Unusual Fire and Explosion Hazards**: Contents under pressure. Keep away from ignition source and open fire. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Vapors are heavier than air and may travel along the ground to remote sources and flash back.

### 6 - Accidental Release Measures

Immediately remove all sources of ignition. Remove personnel from general area. Wear appropriate protective clothing (see Section 8). Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly. Report spills to authorities as required.

### 7 - Handling and Storage

**Handling:** Avoid contact with eyes. Avoid prolonged contact with skin. Avoid breathing vapors or aerosols. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children.

**Storage:** Store in a cool, well-ventilated area, away from incompatible materials and heat, sparks or open flame. Do not store in direct sunlight or above 120°F. U.F.C (NFPA 30B) Level 2 Aerosol.

8 – Exposure Controls/Personal Protection

| Chemical                  | Occupational Exposure Limits                     |
|---------------------------|--|
| 2-Butoxyethanol           | 20 ppm TWA ACGIH TLV<br>50 ppm Skin TWA OSHA PEL |
| Limonene                  | None Established                                 |
| Propellant                | 1000 ppm TWA ACGIH TLV<br>1000 ppm TWA OSHA PEL  |
| Non-hazardous Ingredients | None Established                                 |

The Following Controls are Recommended for Normal Consumer Use of this Product Engineering Controls: Use in a well-ventilated area.

**Personal Protection:** 

Eye Protection: Avoid eye contact. Always spray product away from your face.

**Skin Protection:** Avoid prolonged or repeated skin contact. Chemical resistant gloves recommended for operations where skin contact is likely.

**Respiratory Protection:** None needed for normal use with adequate ventilation.

For Bulk Processing or Workplace Use the Following Controls are Recommended Engineering Controls: Use adequate general and local exhaust ventilation to maintain exposure levels below that occupational exposure limits.

**Personal Protection:** 

Eye Protection: Safety goggles recommended where eye contact is possible.

Skin Protection: Wear chemical resistant gloves.

**Respiratory Protection:** None required if ventilation is adequate. If the occupational exposure limits are exceeded, wear a NIOSH approved respirator. Respirator selection and use should be

based on contaminant type, form and concentration. Follow OSHA 1910.134, ANSI Z88.2 and good Industrial Hygiene practice.

Work/Hygiene Practices: Wash with soap and water after handling.

9 - Physical and Chemical Properties

| Boiling Point:          | Not Applicable      | Specific Gravity: | 0.976 @ 70°F            |
|-------------------------|---------------------|-------------------|-------------------------|
| Solubility in Water:    | Miscible            | pH:               | Not Established         |
| Vapor Pressure:         | 60 +/- 5 PSI @ 70°F | Vapor Density:    | Greater than 1          |
| Percent Volatile:       | 21.0%               | VOC:              | 20.3-20.6%              |
| Coefficient of          | Not Determined      | Appearance/Odor   | Light amber liquid with |
| Water/Oil Distribution: |                     |                   | a citrus odor.          |
| Flash Point:            | Not Determined      | Flammable         | LEL: 1.8% UEL: 9.5%     |
|                         |                     | Limits:           |                         |
|                         |                     | (Propellant)      |                         |

# 10 - Stability and Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur. Conditions to Avoid: Heat and open flame. Incompatibilities: Strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide and carbon dioxide.

### 11 - Toxicological Information

2-Butoxyethanol: Oral rat LD50: 1746 mg/kg; Dermal rabbit LD50: 435 mg/kg d-Limonene: Oral rat LD50: >5000 mg/kg; Dermal rat LD50: >5000 mg/kg

None of the components of this product is listed as a carcinogen or suspected carcinogen or is considered a reproductive hazard.

### 12 - Ecological Information

No data is currently available.

#### 13 - Disposal Considerations

Aerosol containers should not be punctured, compacted in home trash compactors or incinerated. Empty containers may be disposed of through normal waste management options. Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, state and local regulations.

### 14 - Transportation Information\_

DOT Surface Shipping Description: Consumer Commodity, ORM-D IMDG Shipping Description: UN1950, Aerosols, 2, LTD QTY

#### 15 – Regulatory Information

#### **U.S. Federal Regulations:**

**CERCLA 103 Reportable Quantity:** This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

### **SARA TITLE III:**

Hazard Category For Section 311/312: Acute Health, Chronic Health

**Section 313 Toxic Chemicals**: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: 2-Butoxyethanol (glycol ether)

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are

listed on the TSCA inventory

**Canadian Environmental Protection Act**: All of the ingredients are listed on the Canadian Domestic Substances List or exempt from notification

**Canadian WHMIS Classification**: Class D-2-B (A toxic material causing other harmful effects) This MSDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the MSDS contains all of the information required by the CPR.

# 16 – Other Information:

**HMIS Hazard Rating:** 

Health – 1 (slight hazard), Fire Hazard – 3 (serious hazard), Reactivity – 0 (minimal hazard)

Revision Date: August 2007 Supercedes: December, 2004

SIGNATURE: TITLE: Director of Global Quality Assurance

REVISION DATE: 8/13/07 SUPERSEDES: 12/01/2004